

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 30.10.2023, Revision 30.10.2023

Version 1.0. Supersedes version: 6.0

Page 1 / 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Primer 40

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Primer

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

Ramsauer GmbH & Co KG
Alte Bundesstraße 147
5350 Strobl / Wolfgangsee / AUSTRIA
Phone +43 (0)6135 8205 0
Fax +43 (0)6135 8205-250
Homepage www.ramsauer.eu
E-mail office@ramsauer.eu

Address enquiries to

Technical information

office@ramsauer.eu

Safety Data Sheet

sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body

+43 (0) 1 406 43 43 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

Flam. Liq. 2: H225 Highly flammable liquid and vapour.
Skin Irrit. 2: H315 Causes skin irritation.
Asp. Tox. 1: H304 May be fatal if swallowed and enters airways.
STOT SE 3: H336 May cause drowsiness or dizziness.
Aquatic Chronic 2: H411 Toxic to aquatic life with long lasting effects.
Eye Irrit. 2: H319 Causes serious eye irritation.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms



Signal word

DANGER

Contains:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane
Alkanes, C7-10-iso-

Hazard statements

H225 Highly flammable liquid and vapour.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.
H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing vapours / spray.
P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection / face protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor.
P331 Do NOT induce vomiting.
P312 Call a POISON CENTER / doctor if you feel unwell.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/national regulation.

2.3 Other hazards

Environmental hazards

Does not contain any PBT or vPvB substances.
Contains no ingredients with endocrine-disrupting properties.

Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
<90	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane
	EINECS/ELINCS: 921-024-6, Reg-No.: 01-2119475514-35-XXXX
	GHS/CLP: Flam. Liq. 2: H225 - Asp. Tox. 1: H304 - Skin Irrit. 2: H315 - STOT SE 3: H336 - Aquatic Chronic 2: H411
<50	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
	CAS: 64742-49-0, EINECS/ELINCS: 927-510-4, Reg-No.: 01-2119475515-33-XXXX
	GHS/CLP: Flam. Liq. 2: H225 - Asp. Tox. 1: H304 - Skin Irrit. 2: H315 - STOT SE 3: H336 - Aquatic Chronic 2: H411
<40	Hydrocarbons, C6, isoalkanes, <5% n-hexane
	CAS: 64742-49-0, EINECS/ELINCS: 931-254-9, EU-INDEX: 649-328-00-1, Reg-No.: 01-2119484651-34-XXXX
	GHS/CLP: Flam. Liq. 2: H225 - Skin Irrit. 2: H315 - Asp. Tox. 1: H304 - STOT SE 3: H336 - Aquatic Chronic 2: H411
10 - <25	Alkanes, C7-10-iso-
	CAS: 90622-56-3, EINECS/ELINCS: 292-458-5, Reg-No.: 01-2119471305-42-XXXX
	GHS/CLP: Flam. Liq. 2: H225 - Skin Irrit. 2: H315 - Aquatic Chronic 2: H411 - Asp. Tox. 1: H304 - STOT SE 3: H336
1 - <3	Titanium tetrabutanolat
	CAS: 5593-70-4, EINECS/ELINCS: 227-006-8, Reg-No.: 01-2119967423-33-XXXX
	GHS/CLP: Flam. Liq. 3: H226 - STOT SE 3: H335 - Skin Irrit. 2: H315 - Eye Dam. 1: H318 - STOT SE 3: H336
0.1 - <1	Toluene
	CAS: 108-88-3, EINECS/ELINCS: 203-625-9, EU-INDEX: 601-021-00-3, Reg-No.: 01-2119471310-51-XXXX
	GHS/CLP: Flam. Liq. 2: H225 - Repr. 2: H361d - Asp. Tox. 1: H304 - STOT RE 2: H373 - Skin Irrit. 2: H315 - STOT SE 3: H336

Comment on component parts

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

In case of contact with skin wash off immediately with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Seek medical advice immediately.
Do not induce vomiting.
Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Headache
Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 30.10.2023, Revision 30.10.2023

Version 1.0. Supersedes version: 6.0

Page 4 / 16

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Dry powder.
Water spray jet.
Carbon dioxide.
Foam.

Extinguishing media that must not be used Full water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:

Carbon monoxide (CO)

Not combusted hydrocarbons.

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

Cool containers at risk with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from all sources of ignition.

Ensure adequate ventilation.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

In case the product spills into drains/surface waters/groundwater, immediately inform the authorities.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use solvent-resistant equipment.

Provide good room ventilation even at ground level (vapours are heavier than air).

Keep away from all sources of ignition - Refrain from smoking.

Take precautionary measures against static discharges.

Ignitable mixtures can be formed in the empty container.

Vapours can form an explosive mixture with air.

Ground/bond container and receiving equipment.

Use explosion-proofed equipment/fittings and non-sparking tools.

Do not eat, drink, smoke or take drugs at work.

Take off contaminated clothing and wash before reuse.

Wash hands before breaks and after work.

Use barrier skin cream.

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 30.10.2023, Revision 30.10.2023

Version 1.0. Supersedes version: 6.0

Page 5 / 16

7.2 Conditions for safe storage, including any incompatibilities

Provide solvent-resistant and impermeable floor.

Keep only in original container.

Prevent penetration into the ground.

Provide floor with bunding.

Do not store together with oxidizing agents.

Keep container tightly closed.

Keep container in a well-ventilated place.

Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 30.10.2023, Revision 30.10.2023

Version 1.0. Supersedes version: 6.0

Page 6 / 16

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

Substance / EC LIMIT VALUES
Toluene
CAS: 108-88-3, EINECS/ELINCS: 203-625-9, EU-INDEX: 601-021-00-3, Reg-No.: 01-2119471310-51-XXXX
Eight hours: 50 ppm, 192 mg/m ³ , H
Short-term (15-minute): 100 ppm, 384 mg/m ³

DNEL

Substance
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane
Industrial, inhalative, Long-term - systemic effects, 2035 mg/m ³
Industrial, dermal, Long-term - systemic effects, 773 mg/kg bw/d
general population, oral, Long-term - systemic effects, 699 mg/kg bw/d
general population, inhalative, Long-term - systemic effects, 608 mg/m ³
general population, dermal, Long-term - systemic effects, 699 mg/kg bw/d
Hydrocarbons, C6, isoalkanes, <5% n-hexane
Industrial, dermal, Long-term - systemic effects, 13964 mg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 5306 mg/m ³
general population, oral, Long-term - systemic effects, 1301 mg/kg bw/day
general population, dermal, Long-term - systemic effects, 1377 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 1131 mg/m ³
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
Industrial, inhalative, Long-term - systemic effects, 2085 mg/m ³
Industrial, dermal, Long-term - systemic effects, 300 mg/kg bw/d
general population, oral, Long-term - systemic effects, 149 mg/kg bw/d
general population, inhalative, Long-term - systemic effects, 477 mg/m ³
general population, dermal, Long-term - systemic effects, 149 mg/kg bw/d
Alkanes, C7-10-iso-, CAS: 90622-56-3
Industrial, dermal, Long-term - systemic effects, 773 mg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 2 035 mg/m ³
general population, dermal, Long-term - systemic effects, 699 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 608 mg/m ³
general population, oral, Long-term - systemic effects, 699 mg/kg bw/day
Toluene, CAS: 108-88-3
Industrial, inhalative, Long-term - systemic effects, 192 mg/m ³
Industrial, inhalative, Long-term - local effects, 192 mg/m ³
Industrial, inhalative, Acute - local effects, 384 mg/m ³
Industrial, inhalative, Acute - systemic effects, 384 mg/m ³
Industrial, dermal, Long-term - systemic effects, 384 mg/kg bw/day
general population, dermal, Long-term - systemic effects, 226 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 56.5 mg/m ³
general population, inhalative, Long-term - local effects, 56.5 mg/m ³
general population, inhalative, Acute - systemic effects, 226 mg/m ³
general population, oral, Long-term - systemic effects, 8.13 mg/kg bw/day
general population, inhalative, Acute - local effects, 226 mg/m ³

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 30.10.2023, Revision 30.10.2023

Version 1.0. Supersedes version: 6.0

Page 7 / 16

Titanium tetrabutanolate, CAS: 5593-70-4

Industrial, inhalative, Long-term - systemic effects, 127 mg/m³

general population, inhalative, Long-term - systemic effects, 152 mg/m³

general population, dermal, Long-term - systemic effects, 37.5 mg/kg bw/day

general population, oral, Long-term - systemic effects, 3.75 mg/kg bw/day

PNEC

Substance

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

There are no PNEC values established for the substance.

Toluene, CAS: 108-88-3

soil, 2.89 mg/kg soil dw

sediment (seawater), 16.39 mg/kg sediment dw

sediment (freshwater), 16.39 mg/kg sediment dw

sewage treatment plants (STP), 13.61 mg/l

seawater, 0.68 mg/l

freshwater, 0.68 mg/l

Titanium tetrabutanolate, CAS: 5593-70-4

soil, 16.8 µg/kg soil dw

sediment (seawater), 6.9 µg/kg sediment dw

sediment (freshwater), 68.7 µg/kg sediment dw

sewage treatment plants (STP), 65 mg/L

seawater, 8 µg/L

freshwater, 80 µg/L

8.2 Exposure controls

Additional advice on system design

Ensure adequate ventilation on workstation.
Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.

Eye protection

Safety glasses. (EN 166:2001)

Hand protection

0.7 mm Nitrile rubber, >480 min (EN 374-1/-2/-3).
The details concerned are recommendations. Please contact the glove supplier for further information.

Skin protection

Protective clothing (EN 340)

Other

Avoid contact with eyes and skin.
Do not inhale gases/vapours.
Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.

Respiratory protection

In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection.
Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards

no

Delimitation and monitoring of the environmental exposition

Protect the environment by applying appropriate control measures to prevent or limit emissions.

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 30.10.2023, Revision 30.10.2023

Version 1.0. Supersedes version: 6.0

Page 8 / 16

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	colourless
Odor	characteristic
Odour threshold	not relevant
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	>59
Flash point [°C]	-25
Flammability	>200
Lower explosion limit	ca. 1.0 Vol.-%
Upper explosion limit	not determined
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	ca. 4 (20°C)
Density [g/cm ³]	ca. 0.70 (20 °C / 68,0 °F)
Relative density	not determined
Bulk density [kg/m ³]	not applicable
Solubility in water	virtually insoluble
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	not determined
Kinematic viscosity	<20.5 mm ² /s (40 °C)
Relative vapour density	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Auto-ignition temperature [°C]	not determined
Decomposition temperature [°C]	not determined
Particle characteristics	No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting.
Uncleaned empty vessels may contain product gases which can form explosive mixtures with air.
Violent reaction under influence of oxidising agents.

10.4 Conditions to avoid

See SECTION 7
Strong heating.

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 30.10.2023, Revision 30.10.2023

Version 1.0. Supersedes version: 6.0

Page 9 / 16

10.5 Incompatible materials

not determined

10.6 Hazardous decomposition products

Flammable gases/vapours.

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 30.10.2023, Revision 30.10.2023

Version 1.0. Supersedes version: 6.0

Page 10 / 16

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Based on available data, the classification criteria are not met.

Product
ATE-mix, oral, > 2000 mg/kg
Substance
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane
LD50, oral, Rat, > 5800 mg/kg
Hydrocarbons, C6, isoalkanes, <5% n-hexane
LD50, oral, Rat, 25 mL/kg bw
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
LD50, oral, Rat, > 3000 mg/kg bw
Alkanes, C7-10-iso-, CAS: 90622-56-3
LD50, oral, Rat, 7100 - 7800 mg/kg bw
Toluene, CAS: 108-88-3
LD50, oral, Rat, 5580 mg/kg bw
Titanium tetrabutanolate, CAS: 5593-70-4
LD50, oral, Rat, 2000 mg/kg bw
NOAEL, oral, Rat, 125 mg/kg bw/day

Acute dermal toxicity

Based on available data, the classification criteria are not met.

Product
ATE-mix, dermal, > 2000 mg/kg
Substance
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane
LD50, dermal, Rat, > 2800 - 3100 mg/kg bw
Hydrocarbons, C6, isoalkanes, <5% n-hexane
LD50, dermal, Rabbit, 5 mL/kg bw
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
LD50, dermal, Rat, 2800 - 3100 mg/kg
Alkanes, C7-10-iso-, CAS: 90622-56-3
LD50, dermal, Rabbit, 2200 - 2500 mg/kg bw
Toluene, CAS: 108-88-3
LD50, dermal, Rabbit, 5000 mg/kg bw

Acute inhalational toxicity

Based on available data, the classification criteria are not met.

Product
ATE-mix, inhalation (vapour), > 20 mg/l 4h
Substance
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane
LC50, inhalative, Rat, > 25.2 mg/l 4h
Hydrocarbons, C6, isoalkanes, <5% n-hexane
LC50, inhalative, Rat, 73860 ppm (4 h)
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 30.10.2023, Revision 30.10.2023

Version 1.0. Supersedes version: 6.0

Page 11 / 16

LC50, inhalative, Rat, 23.3 mg/L 4h

Alkanes, C7-10-iso-, CAS: 90622-56-3

LC50, inhalative, Rat, 4240 - 4450 ppm (4h)

Toluene, CAS: 108-88-3

LC50, inhalative, Rat, 25.7 - 30 mg/L (4h)

Titanium tetrabutanolat, CAS: 5593-70-4

NOAEL, inhalative, Rat, 2.35 mg/L

Serious eye damage/irritation Irritant

Substance

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane

Eye, Rabbit, non-irritating

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Eye, Rabbit, In vivo study, non-irritating

Skin corrosion/irritation Irritant

Substance

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane

dermal, Rabbit, OECD 404, irritant

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

dermal, Rabbit, OECD 404, irritant

Respiratory or skin sensitisation Does not contain a relevant substance that meets the classification criteria.

Substance

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

dermal, non-sensitizing

Specific target organ toxicity — single exposure Vapours may cause drowsiness and dizziness.

Specific target organ toxicity — repeated exposure Based on available data, the classification criteria are not met.

Substance

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane

NOAEC, inhalative, Rat, 24300 mg/m³, negativ

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

NOAEC, inhalative, Rat, 12470 mg/m³, Study, negativ

Mutagenicity Does not contain a relevant substance that meets the classification criteria.

Substance

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane

in vitro, negativ

in vivo, negativ

Reproduction toxicity This product contains one or more substances of categorie Repr. 2 (CLP). CAS: 108-88-3

- Fertility No information available.

- Development

Substance

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 30.10.2023, Revision 30.10.2023 Version 1.0. Supersedes version: 6.0 Page 12 / 16

NOAEC, inhalative, Rat, 1200 ppm
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
NOAEC, inhalative, Rat, 31680 mg/m ³ , In vivo study, negativ

Carcinogenicity	Does not contain a relevant substance that meets the classification criteria.
Aspiration hazard	Based on available data, the classification criteria are met. $v < 20.5 \text{ mm}^2/\text{s}$ (40 °C) May be fatal if swallowed and enters airways.
General remarks	Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties	Contains no ingredients with endocrine-disrupting properties.
11.2.2 Other information	none

SECTION 12: Ecological information

12.1 Toxicity

Substance
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane
EL50, (48h), Daphnia magna, 3 mg/L
EL50, (24h), Daphnia magna, 12 mg/L
EL50, (72h), Pseudokirchneriella subcapitata, 12 mg/L
LL50, (96h), Oncorhynchus mykiss, > 13.4 mg/L
Hydrocarbons, C6, isoalkanes, <5% n-hexane
EL50, (72h), Algae, 13.56 mg/L
EL50, (48h), Crustacea, 7.138 mg/L
NOELR, (96h), fish, 4.089 mg/L
LL50, (96h), fish, 18.27 mg/L
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
EC50, (72h), Pseudokirchneriella subcapitata, 10 - 30 mg/l
EC50, (48h), Daphnia magna, 3 mg/l
NOEC, (21d), Daphnia magna, 0.17 mg/l
NOELR, (72h), Pseudokirchneriella subcapitata, 10 mg/l
LL50, (96h), Oncorhynchus mykiss, > 13.4 mg/l
Alkanes, C7-10-iso-, CAS: 90622-56-3
LC50, (96h), fish, 110 µg/L
EC50, (48h), Crustacea, 400 µg/L
EL50, (72h), Algae, 10 - 30 mg/L
NOELR, (28d), fish, 778 µg/L
Toluene, CAS: 108-88-3
LC50, (96h), fish, 5.5 mg/L
LC50, (48h), Crustacea, 3.78 mg/L
EC10, (168h), Crustacea, 740 µg/L
Titanium tetrabutanolate, CAS: 5593-70-4
LC50, (96h), fish, 1.74 - 2.3 g/L
EC50, (72h), Algae, 225 mg/L
EC50, (48h), Crustacea, 1.3 g/L
EC10, (96h), Algae, 134 mg/L

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 30.10.2023, Revision 30.10.2023

Version 1.0. Supersedes version: 6.0

Page 13 / 16

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

not determined

12.4 Mobility in soil

not determined

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available.
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.
Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 200113*

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.
Untampered packaging may be taken for recycling.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances
150102

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID 1993

Inland navigation (ADN) 1993

Marine transport in accordance with IMDG 1993

Air transport in accordance with IATA 1993

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 30.10.2023, Revision 30.10.2023

Version 1.0. Supersedes version: 6.0

Page 14 / 16

14.2 UN proper shipping name

Transport by land according to ADR/RID

Flammable liquid, n.o.s. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane)

- Classification Code

F1

- Label



- ADR LQ

1 I

- ADR 1.1.3.6 (8.6)

Transport category (tunnel restriction code) 2 (D/E)

Inland navigation (ADN)

Flammable liquid, n.o.s. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane)

- Classification Code

F1

- Label



Marine transport in accordance with IMDG

FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane)

- EMS

F-E, S-E

- Label



- IMDG LQ

1 I

Air transport in accordance with IATA

Flammable liquid, n.o.s. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane)

- Label



14.3 Transport hazard class(es)

Transport by land according to ADR/RID

3 (N)

Inland navigation (ADN)

3 (N)

Marine transport in accordance with IMDG

3

Air transport in accordance with IATA

3

14.4 Packing group

Transport by land according to ADR/RID

II

Inland navigation (ADN)

II

Marine transport in accordance with IMDG

II

Air transport in accordance with IATA

II

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 30.10.2023, Revision 30.10.2023

Version 1.0. Supersedes version: 6.0

Page 15 / 16

14.5 Environmental hazards

Transport by land according to ADR/RID	yes
Inland navigation (ADN)	yes
Marine transport in accordance with IMDG	MARINE POLLUTANT
Air transport in accordance with IATA	yes

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not determined

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148
- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
- Annex I (REACH)	The product is not subject to Annex I restrictions.
- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\geq 0.1\%$ that are subject to authorisation.
- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 40, 48, 75 According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.
TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)
NATIONAL REGULATIONS (EU):	
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
- VOC (2010/75/CE)	> 90 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H373 May cause damage to organs through prolonged or repeated exposure.
H361d Suspected of damaging the unborn child.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H226 Flammable liquid and vapour.

H411 Toxic to aquatic life with long lasting effects.
H336 May cause drowsiness or dizziness.
H315 Causes skin irritation.
H304 May be fatal if swallowed and enters airways.
H225 Highly flammable liquid and vapour.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

This document does not comply with Regulation (EC) No 1907/2006, article 31 (5) and may be used for internal purposes only.

Classification procedure

Flam. Liq. 2: H225 Highly flammable liquid and vapour. (On basis of test data)
Skin Irrit. 2: H315 Causes skin irritation. (Calculation method)
Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (On basis of test data)
STOT SE 3: H336 May cause drowsiness or dizziness. (Calculation method)
Aquatic Chronic 2: H411 Toxic to aquatic life with long lasting effects. (Calculation method)
Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

Modified position

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.

Copyright: Chemiebüro®