

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 24.10.2024, Revision 24.10.2024

Version 8.0. Supersedes version: 7.0

Page 1 / 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

SANITÄR 450

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Silicon

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

Ramsauer GmbH & Co KG
Alte Bundesstraße 147
5350 Strobl / Wolfgangsee / AUSTRIA
Phone +43 (0)6135 8205 0
Fax +43 (0)6135 8205-250
Homepage www.ramsauer.eu
E-mail office@ramsauer.eu

Address enquiries to

Technical information

office@ramsauer.at

Safety Data Sheet

sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body

+43 (0) 1 406 43 43 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No. 1272/2008 (CLP).

Hazard pictograms

none

Signal word

none

Hazard statements

none

Precautionary statements

none

Special labelling

EUH210 Safety data sheet available on request.
Product treated with preservatives OIT (CAS 26530-20-1).

Contains: 2-Octyl-2H-isothiazol-3-one. EUH208 May produce an allergic reaction.

2.3 Other hazards

Human health dangers

Contact with moisture liberates acetic acid.

Environmental hazards

Does not contain any PBT or vPvB substances.
Contains no ingredients with endocrine-disrupting properties.

Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 24.10.2024, Revision 24.10.2024

Version 8.0. Supersedes version: 7.0

Page 2 / 12

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
10 - <20	Benzene, C14-30-alkyl derivs.
	CAS: 68855-24-3, EINECS/ELINCS: 272-472-8
	GHS/CLP: Aquatic Chronic 4: H413
1 - <2,5	Triacetoxyethylsilane
	CAS: 17689-77-9, EINECS/ELINCS: 241-677-4, Reg-No.: 01-2119881778-15-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1B: H314 - Eye Dam. 1: H318 - EUH014
1 - <1,5	Oligomeric ethyl and Methylacetoxysilane
	GHS/CLP: Skin Corr. 1B: H314 - Eye Dam. 1: H318
1 - <1,5	Triacetoxy(methyl)silane
	CAS: 4253-34-3, EINECS/ELINCS: 224-221-9, Reg-No.: 01-2119962266-32-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1C: H314 - Eye Dam. 1: H318 - EUH014
0,0015 - <0,002	2-Octyl-2H-isothiazol-3-one
	CAS: 26530-20-1, EINECS/ELINCS: 247-761-7, EU-INDEX: 613-112-00-5
	GHS/CLP: Acute Tox. 4: H302 - Acute Tox. 3: H311 - Acute Tox. 3: H331 - Skin Corr. 1B: H314 - Skin Sens. 1A: H317 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410 - EUH071,
	M-Factor (acute): 100, M-Factor (chronic): 100
	SCL [%]: 0,0015: Skin Sens. 1: H317

Comment on component parts

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

When in contact with the skin, clean with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Seek medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects
Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide.
Water spray jet.
Dry powder.
Foam.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:
Carbon monoxide (CO)

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 24.10.2024, Revision 24.10.2024

Version 8.0. Supersedes version: 7.0

Page 3 / 12

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

In case the product spills into drains/surface waters/groundwater, immediately inform the authorities.

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Take up residues with absorbent material (e.g. sand, sawdust, general purpose binder, diatomaceous earth).

Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Wash hands before breaks and after work.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

Do not eat, drink, smoke or take drugs at work.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep in a cool place. Store in a dry place.

Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 24.10.2024, Revision 24.10.2024

Version 8.0. Supersedes version: 7.0

Page 4 / 12

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

Substance / EC LIMIT VALUES

Acetic acid

CAS: 64-19-7, EINECS/ELINCS: 200-580-7, EU-INDEX: 607-002-00-6, Reg-No.: 01-2119475328-30-XXXX
--

Eight hours: 10 ppm, 25 mg/m ³

Short-term (15-minute): 20 ppm, 50 mg/m ³
--

DNEL

Substance

Triacetoxylethylsilane, CAS: 17689-77-9

Industrial, inhalative, Long-term - local effects, 32,5 mg/m ³

Industrial, inhalative, Acute - local effects, 32,5 mg/m ³

general population, inhalative, Long-term - local effects, 6,5 mg/m ³
--

Triacetoxymethylsilane, CAS: 4253-34-3
--

Industrial, inhalative, Long-term - local effects, 31 mg/m ³

Industrial, inhalative, Acute - local effects, 61 mg/m ³

general population, inhalative, Long-term - local effects, 31 mg/m ³

general population, inhalative, Acute - local effects, 61 mg/m ³

PNEC

Substance

Triacetoxylethylsilane, CAS: 17689-77-9

freshwater, 0.2 mg/L (AF=50)

seawater, 0.02 mg/L (AF=500)

sewage treatment plants (STP), 1 mg/L (AF=100)
--

sediment (freshwater), 0.74 mg/kg dw

sediment (seawater), 0.074 mg/kg dw

soil, 0.031 mg/kg dw

Triacetoxymethylsilane, CAS: 4253-34-3
--

sediment (freshwater), 4,8 mg/kg sediment dw
--

sediment (seawater), 480 µg/kg sediment dw
--

soil, 190 µg/kg soil dw

sewage treatment plants (STP), 6.9 mg/L

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 24.10.2024, Revision 24.10.2024

Version 8.0. Supersedes version: 7.0

Page 5 / 12

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	safety glasses (EN 166:2001)
Hand protection	0,4 mm Butyl rubber, >480 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Protective clothing (EN 340)
Other	Avoid contact with eyes and skin. Do not inhale vapours. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, filter E (DIN EN 14387).
Thermal hazards	no
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	pasty
Color	various
Odor	acetic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not determined
Boiling point or initial boiling point and boiling range [°C]	not applicable
Flash point [°C]	> 150
Flammability	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/cm³]	ca. 1,0 (EN ISO 1183-1)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	not determined
Kinematic viscosity	> 20,5 mm ² /s (40 °C)
Relative vapour density	not determined
Melting point [°C]	not determined
Auto-ignition temperature [°C]	not determined
Decomposition temperature [°C]	not determined
Particle characteristics	No information available.

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 24.10.2024, Revision 24.10.2024

Version 8.0. Supersedes version: 7.0

Page 6 / 12

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Contact with moisture liberates acetic acid.
Reactions with strong oxidizing agents.

10.4 Conditions to avoid

See SECTION 7
Contact with moisture.

10.5 Incompatible materials

Strong oxidizing agent.

10.6 Hazardous decomposition products

In the case of heating (150-180°C) following modest (decomposition) products may occur:
Formaldehyde.

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 24.10.2024, Revision 24.10.2024

Version 8.0. Supersedes version: 7.0

Page 7 / 12

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Based on available data, the classification criteria are not met.

Product
ATE-mix, oral, > 2000 mg/kg
Substance
2-Octyl-2H-isothiazol-3-one, CAS: 26530-20-1
ATE, oral, 125 mg/kg (harmonised)
Triacetoxylethylsilane, CAS: 17689-77-9
LD50, oral, Rat, 1460 mg/kg bw, OECD 401
Triacetoxymethylsilane, CAS: 4253-34-3
LD50, oral, Rat, 1600 mg/kg, OECD 401
Benzene, C14-30-alkyl derivs., CAS: 68855-24-3
LD50, oral, Rat, > 5000 mg/kg

Acute dermal toxicity

Based on available data, the classification criteria are not met.

Product
dermal, Based on the available information, the classification criteria are not fulfilled.
Substance
2-Octyl-2H-isothiazol-3-one, CAS: 26530-20-1
ATE, dermal, 311 mg/kg (harmonised)
Benzene, C14-30-alkyl derivs., CAS: 68855-24-3
LD50, dermal, Rabbit, > 3000 mg/kg

Acute inhalational toxicity

Based on available data, the classification criteria are not met.

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.
Substance
2-Octyl-2H-isothiazol-3-one, CAS: 26530-20-1
ATE, inhalativ (mist), 0,27 mg/L (harmonised)

Serious eye damage/irritation

No classification due to toxicological investigations.

Substance
Triacetoxymethylsilane, CAS: 4253-34-3
Rabbit, OECD 404, corrosive

Skin corrosion/irritation

No classification due to toxicological investigations.

Substance
Triacetoxylethylsilane, CAS: 17689-77-9
Rabbit, OECD 405, corrosive

Respiratory or skin sensitisation

No classification due to toxicological investigations.
May cause an allergic skin reaction.

Specific target organ toxicity — single exposure

Based on available data, the classification criteria are not met.

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 24.10.2024, Revision 24.10.2024

Version 8.0. Supersedes version: 7.0

Page 8 / 12

Specific target organ toxicity — repeated exposure Based on available data, the classification criteria are not met.

Mutagenicity Does not contain a relevant substance that meets the classification criteria.

Substance
Triacetoxylethylsilane, CAS: 17689-77-9
Ames-test, negativ
Triacetoxymethylsilane, CAS: 4253-34-3
Ames-test, negativ

Reproduction toxicity Does not contain a relevant substance that meets the classification criteria.

- Fertility

Substance
Triacetoxylethylsilane, CAS: 17689-77-9
NOAEL, oral, Rat, 3048,62 mg/kg bw/day, OECD 422

- Development

Substance
Triacetoxylethylsilane, CAS: 17689-77-9
NOAEL, oral, Rat, 3048,62 mg/kg bw/day, OECD 422

Carcinogenicity Does not contain a relevant substance that meets the classification criteria.

Aspiration hazard Based on available data, the classification criteria are not met.

General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information none

SECTION 12: Ecological information

12.1 Toxicity

Substance
2-Octyl-2H-isothiazol-3-one, CAS: 26530-20-1
LC50, (96h), Fish, 122 µg/L
EC50, (96h), Algae, 150 µg/L
EC50, (48h), Daphnia magna, 0,18 mg/l (Lit.)
Triacetoxylethylsilane, CAS: 17689-77-9
LC50, (96h), Danio rerio, 251 mg/l
EC50, (48h), Daphnia magna, 62 mg/l
IC50, (72h), Pseudokirchneriella subcapitata, 73 mg/l
Triacetoxymethylsilane, CAS: 4253-34-3
LC50, (96h), Fish, 79 - 500 mg/L
EC50, (48h), Invertebrates, 65 - 500 mg/L
EC50, (72h), Algae, 24,41 - 1562,5 mg/L
Benzene, C14-30-alkyl derivs., CAS: 68855-24-3
LC50, (96h), Fish, 10 000 mg/L
EC50, (48h), Daphnia magna, > 1000 mg/L

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 24.10.2024, Revision 24.10.2024

Version 8.0. Supersedes version: 7.0

Page 9 / 12

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

not determined

12.4 Mobility in soil

not applicable

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

For recycling, consult manufacturer.
Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 070217

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150102
150104

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 24.10.2024, Revision 24.10.2024

Version 8.0. Supersedes version: 7.0

Page 10 / 12

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 24.10.2024, Revision 24.10.2024

Version 8.0. Supersedes version: 7.0

Page 11 / 12

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS

2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH)

According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\geq 0.1\%$ that are subject to authorisation.

- Annex XVII (REACH)

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.

TRANSPORT-REGULATIONS

ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)

NATIONAL REGULATIONS (EU):

- Observe employment restrictions for people

none

- VOC (2010/75/CE)

0 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

EUH071 Corrosive to the respiratory tract.
H410 Very toxic to aquatic life with long lasting effects.
H317 May cause an allergic skin reaction.
H400 Very toxic to aquatic life.
H331 Toxic if inhaled.
H311 Toxic in contact with skin.
EUH014 Reacts violently with water.
H318 Causes serious eye damage.
H314 Causes severe skin burns and eye damage.
H302 Harmful if swallowed.
H413 May cause long lasting harmful effects to aquatic life.

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 24.10.2024, Revision 24.10.2024

Version 8.0. Supersedes version: 7.0

Page 12 / 12

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

This document does not comply with Regulation (EC) No 1907/2006, article 31 (5) and may be used for internal purposes only.

Classification procedure

Modified position 2.2, 2.3, 4.1, 4.2, 4.3, 11.1, 11.2, 15.1

Copyright: Chemiebüro®