Pur Leim 625

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 20.02.2025, Revision 20.02.2025

Version 2.0

Page 1 / 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Pur Leim 625

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

See product information.

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ramsauer GmbH & Co KG

Alte Bundesstraße 147

5350 Strobl / Wolfgangsee / AUSTRIA

Phone +43 (0)6135 8205 0 Fax +43 (0)6135 8205-250 Homepage www.ramsauer.eu E-mail office@ramsauer.eu

Address enquiries to

Technical information office@ramsauer.eu

Safety Data Sheet sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Company +43 (0)6135 8205 0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

Skin Irrit. 2: H315 Causes skin irritation.

Skin Sens. 1: H317 May cause an allergic skin reaction.

Eye Irrit. 2: H319 Causes serious eye irritation.

Resp. Sens. 1: H334 May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

STOT SE 3: H335 May cause respiratory irritation. Carc. 2: H351 Suspected of causing cancer.

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.

Acute Tox. 4: H332 Harmful if inhaled.

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 20.02.2025, Revision 20.02.2025

Version 2.0

Page 2 / 12

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms



Signal word

DANGER

Contains:

Diphenylmethanediisocyanate, isomeres and homologues

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H332 Harmful if inhaled.

Precautionary statements

P260 Do not breathe vapours.

P280 Wear protective gloves / protective clothing / eye protection / face protection.

P284 In case of inadequate ventilation wear respiratory protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER / doctor.

P308+P313 IF exposed or concerned: Get medical advice / attention.

P501 Dispose of contents/container in accordance with local/national regulation.

Special labelling

EUH204 Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use.

2.3 Other hazards

Human health dangers

Environmental hazards

Persons already sensitised to diisocyanates may develop allergic reactions when using this product. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

Does not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

Substances

not applicable

3.2 **Mixtures**

The product is a mixture.

Range [%]	Substance
20 - 50	Diphenylmethanediisocyanate, isomeres and homologues
	CAS: 9016-87-9, EINECS/ELINCS: 618-498-9
	GHS/CLP: Skin Irrit. 2: H315 - Skin Sens. 1: H317 - Eye Irrit. 2: H319 - Acute Tox. 4: H332 - Resp. Sens. 1: H334 - STOT SE 3: H335 - Carc. 2: H351 - STOT RE 2: H373 - EUH204
	SCL [%]: >= 0,1: Resp. Sens. 1: H334, >= 5: Skin Irrit. 2: H315, >= 5: Eye Irrit. 2: H319, >= 5: STOT SE 3: H335

Comment on component parts

For full text of H-statements: see SECTION 16.

Pur Leim 625

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 20.02.2025, Revision 20.02.2025 Version 2.0 Page 3 / 12

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Remove contaminated soaked clothing immediately and dispose of safely.

Inhalation Remove the victim into fresh air and keep him calm.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

Consult a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide.

Dry powder. Sand.

Extinguishing media that must not

be used

Full water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:

Nitrogen oxides (NOx). Hydrogen cyanide (HCN).

Isocyanate

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Wear full protective suit.

Collect contaminated firefighting water separately, must not be discharged into the drains. Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

Use breathing apparatus if exposed to vapours.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous

earth).

Dispose of absorbed material in accordance within the regulations.

Pur Leim 625

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 20.02.2025, Revision 20.02.2025

Version 2.0

Page 4 / 12

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Provide suitable vacuuming at the processing machines.

Take off contaminated clothing and wash before reuse.

Contaminated work clothing should not be allowed out of the workplace.

Wash hands before breaks and after work.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Keep away from water.

Do not store together with oxidizing agents.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep container in a well-ventilated place.

Protect from atmospheric moisture and water.

Keep in a cool place.

Storage class (TRGS 510)

Storage class 10 (VCI)

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored DE (TRGS 900)

Substance

Diphenylmethanediisocyanate, isomeres and homologues

CAS: 9016-87-9, EINECS/ELINCS: 618-498-9

Exposure limit: 0,05 mg/m³, (MDI) E, DFG, H, Sah, Y, 12

Factor: 1;=2=(I)

4,4'-Methylenediphenyl diisocyanate

CAS: 101-68-8, EINECS/ELINCS: 202-966-0, EU-INDEX: 615-005-00-9

Exposure limit: 0,05 mg/m³, E; DFG, 11, 12, H, Sah, Y

Factor: 1;=2=(I)

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

Substance / EC LIMIT VALUES

Diphenylmethanediisocyanate, isomeres and homologues

CAS: 9016-87-9, EINECS/ELINCS: 618-498-9

Eight hours: 0,010 mg/m³, (NCO)

Short-term (15-minute): 0,020 mg/m³

4,4'-Methylenediphenyl diisocyanate

CAS: 101-68-8, EINECS/ELINCS: 202-966-0, EU-INDEX: 615-005-00-9

Eight hours: 0,010 mg/m³, (NCO)

Short-term (15-minute): 0,020 mg/m³

Pur Leim 625

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 20.02.2025, Revision 20.02.2025

Version 2.0

Page 5 / 12

8.2 **Exposure controls**

Additional advice on system design Ensure adequate ventilation on workstation.

> Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection safety glasses (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

0,7 mm; Butyl rubber, >480 min (EN 374-1/-2/-3).

Skin protection Protective clothing (EN 340)

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not breathe vapour/spray. Avoid contact with eyes and skin.

Respiratory protection In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear

appropriate respiratory protection.

Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

Thermal hazards No information available.

Delimitation and monitoring of the

Protect the environment by applying appropriate control measures to prevent or limit environmental exposition

emissions

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state liquid Form liauid Color brown Odor characteristic **Odour threshold** not determined pH-value not applicable pH-value [1%] not applicable

Boiling point or initial boiling point

and boiling range [°C]

> 200

Flash point [°C] > 150 (c.c.) not applicable **Flammability** Lower explosion limit not determined Upper explosion limit not determined

Oxidising properties

Vapour pressure/gas pressure [kPa] not determined Density [g/cm³] 1,13 (20°C) Relative density 1.13

Bulk density [kg/m³] not applicable Solubility in water insoluble reacts with water

Solubility other solvents No information available.

Partition coefficient n-octanol/water

(log value)

not determined

Kinematic viscosity 12000 mPa.s (20 °C) Relative vapour density not determined Melting point [°C] not determined

Auto-ignition temperature [°C] > 200 Decomposition temperature [°C] > 140

Particle characteristics No information available.

9.2 Other information

No information available.

Pur Leim 625

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 20.02.2025, Revision 20.02.2025 Version 2.0 Page 6 / 12

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with water, with formation of carbon dioxide.

Reactions with alcohols.

Reactions with amines.

10.4 Conditions to avoid

Strong heating.

Water

10.5 Incompatible materials

See SECTION 10.3.

10.6 Hazardous decomposition products

In the event of fire: See SECTION 5.

Pur Leim 625

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 20.02.2025, Revision 20.02.2025 Version 2.0 Page 7 / 12

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

ATE-mix, oral, >2000 mg/kg bw

Substance

Diphenylmethanediisocyanate, isomeres and homologues, CAS: 9016-87-9

LD50, oral, Rat, > 10000 mg/kg (OECD 401)

Acute dermal toxicity

Product

ATE-mix, dermal, >2000 mg/kg bw

Substance

Diphenylmethanediisocyanate, isomeres and homologues, CAS: 9016-87-9

LD50, dermal, Rabbit, > 9400 mg/kg (OECD 402)

Acute inhalational toxicity

ATE-mix, inhalativ (mist), ca. 2,5 mg/L

Substance

Diphenylmethanediisocyanate, isomeres and homologues, CAS: 9016-87-9

LC50, inhalativ (mist), Rat, 0,31 mg/l/4h (OECD 403)

NOAEL, inhalative, Rat, 0,2 mg/m³ (OECD 453)

LOAEL, inhalative, Rat, 1 mg/m³ (OECD 453)

ATE, inhalativ (mist), 1,5 mg/l

Serious eye damage/irritation Irritant

Substance

Diphenylmethanediisocyanate, isomeres and homologues, CAS: 9016-87-9

Eye, irritant

Skin corrosion/irritation Irritant

Diphenylmethanediisocyanate, isomeres and homologues, CAS: 9016-87-9

dermal, Rabbit, OECD 404, irritant

Respiratory or skin sensitisation

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Substance

Diphenylmethanediisocyanate, isomeres and homologues, CAS: 9016-87-9

dermal, mouse, OECD 429, sensitising

inhalative, Rat, sensitising

Specific target organ toxicity single exposure

May cause respiratory irritation.

Substance

Diphenylmethanediisocyanate, isomeres and homologues, CAS: 9016-87-9

inhalative, irritant

Specific target organ toxicity repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Pur Leim 625

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 20.02.2025, Revision 20.02.2025

Version 2.0

Page 8 / 12

Substance

Diphenylmethanediisocyanate, isomeres and homologues, CAS: 9016-87-9

inhalative, adverse effect observed

Mutagenicity

Does not contain a relevant substance that meets the classification criteria.

Substance

Diphenylmethanediisocyanate, isomeres and homologues, CAS: 9016-87-9

in vitro, negativ

Reproduction toxicity

Does not contain a relevant substance that meets the classification criteria.

- Fertility

No information available.

- Development

Substance

Diphenylmethanediisocyanate, isomeres and homologues, CAS: 9016-87-9

NOAEL, inhalative, Rat, 4 mg/m3, OECD 414, 6h, no adverse effect observed

Carcinogenicity

This product contains one or more substances of categorie Carc. 2 (CLP).

Suspected of causing cancer.

Substance

Diphenylmethanediisocyanate, isomeres and homologues, CAS: 9016-87-9

adverse effect observed

Aspiration hazard General remarks Does not contain a relevant substance that meets the classification criteria.

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information none

SECTION 12: Ecological information

12.1 Toxicity

Substance

Diphenylmethanediisocyanate, isomeres and homologues, CAS: 9016-87-9

LC50, (96h), Danio rerio, > 1000 mg/l (OECD 203)

EC50, (24h), Daphnia magna, > 1000 mg/l (OECD 202)

EC50, (3h), Bacteria, > 100 mg/l (OECD 209)

NOEC, (21d), Daphnia magna, > 10 mg/l (OECD 202)

ErC50, (72h), Scenedesmus subspicatus, > 1640 mg/l (OECD 201)

12.2 Persistence and degradability

Behaviour in environment

not determined

compartments

not determined

Behaviour in sewage plant Biological degradability

not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

Pur Leim 625

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 20.02.2025, Revision 20.02.2025

Version 2.0

Page 9 / 12

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.

Coordinate disposal with the authorities if necessary.

Waste no. (recommended) 080501*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Inland navigation (ADN)

Transport by land according to ADR/RID

NO DANGEROUS GOODS

NO DANGEROUS GOODS

Marine transport in accordance with

NOT CLASSIFIED AS "DANGEROUS GOODS"

IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Pur Leim 625

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 20.02.2025, Revision 20.02.2025 Version 2.0 Page 10 / 12

14.3 Transport hazard class(es)

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

IMDG

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

Inland navigation (ADN)

no

Marine transport in accordance with

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

Pur Leim 625

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 20.02.2025, Revision 20.02.2025 Version 2.0 Page 11 / 12

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 **EEC-REGULATIONS**

(REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain - Annex XIV (REACH)

any substances ≥ 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 3, 52 a), 52 b), 74, 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the

following restrictions. 3

TRANSPORT-REGULATIONS ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)

NATIONAL REGULATIONS (DE): Hazardous Substances Ordinance - GefStoffV 21.07.2021; Detergent and Cleaning Agents

Act - WRMG; Federal Water Act - WHG; Technical Rule for Hazardous Substances - TRGS:

200, 220, 615, 900, 905

- Water hazard class 1, conf. AwSV, 18.04.2017

- Decree for case of interference,

observe limits

not applicable

- Class. according to TA-Luft

5.2.5.

- Storage class (TRGS 510) Storage class 10 (VCI)

- Observe employment restrictions

for people

Observe employment restrictions for young people.

Observe employment restrictions for mothers-to-be and nursing mothers.

- VOC (2010/75/CE)

- Other regulations DGUV Information 213-070: Säuren und Laugen (Merkblatt M 004 der Reihe "Gefahrstoffe")

Work medicine Principles G27: isocyanates.

DGUV Information 213-078: Polyurethane Isocyanate (Merkblatt M 044 der Reihe

"Gefahrstoffe")

TRGS 400: Risk assessment

TRGS 401: Gefährdung durch Hautkontakt. - Ermittlung, Beurteilung, Maßnahmen.

TRGS 430: Gefährdungsbeurteilung und Schutzmaßnahmen

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

EUH204 Contains isocyanates. May produce an allergic reaction.

H373 May cause damage to organs through prolonged or repeated exposure through

inhalation.

H351 Suspected of causing cancer. H335 May cause respiratory irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H332 Harmful if inhaled.

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

H315 Causes skin irritation.

Pur Leim 625

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 20.02.2025, Revision 20.02.2025

Version 2.0

Page 12 / 12

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Skin Irrit. 2: H315 Causes skin irritation. (Calculation method)

Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method)

Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

Resp. Sens. 1: H334 May cause allergy or asthma symptoms or breathing difficulties if

inhaled. (Calculation method)

STOT SE 3: H335 May cause respiratory irritation. (Calculation method) Carc. 2: H351 Suspected of causing cancer. (Calculation method)

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.

(Calculation method)

Acute Tox. 4: H332 Harmful if inhaled. (Calculation method)

Modified position

none

Copyright: Chemiebüro®