

Revision Date: 11.11.2024 Date of last issue: -

Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: 811 Universal Pistolen Schaum, Klasse F

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Polyurethane for	roam
--------------------------------	------

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Ramsauer GmbH & Co KG Alte Bundesstraße 147 5350 Strobl am Wolfgangsee /Österreich
Telephone Telefax Emergency telephone num- ber	:	+43 (0) 6135 8205 0 - -
E-mail address of person responsible for the SDS	:	office@ramsauer.eu

1.4 Emergency telephone number

0043 1 4064343 (Giftinformationszentrale Wien)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) Aerosols, Category 1 H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated. Skin irritation, Category 2 H315: Causes skin irritation. Eye irritation, Category 2 H319: Causes serious eye irritation. Respiratory sensitisation, Category 1 H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled. Skin sensitisation, Category 1 H317: May cause an allergic skin reaction. Carcinogenicity, Category 2 H351: Suspected of causing cancer. Effects on or via lactation H362: May cause harm to breast-fed children. Specific target organ toxicity - single ex-H335: May cause respiratory irritation. posure, Category 3, Respiratory system Country AT 10000031484

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

811 Universal Pistolen Schaum, Klasse F



Revision Date: 11.11.2024 Date of last issue: - Version 1.0

Specific target organ toxicity - repeated exposure, Category 2

H373: May cause damage to organs through prolonged or repeated exposure if inhaled.

Long-term (chronic) aquatic hazard, Category 4

H413: May cause long lasting harmful effects to aquatic life.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word	:	Danger	
Hazard statements	:	H222 H229 H315 H317 H319 H334 H335 H351 H362 H373 H413	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breath- ing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause harm to breast-fed children. May cause damage to organs through prolonged or repeated exposure if inhaled. May cause long lasting harmful effects to aquatic life.
Precautionary statements	:	P101 P102	If medical advice is needed, have product container or label at hand. Keep out of reach of children.
		Preventior	1:
		P202	Do not handle until all safety precautions have been read and understood.
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P211	Do not spray on an open flame or other igni- tion source.
		P251	Do not pierce or burn, even after use.
		P260	Do not breathe dust or mist.
		P263	Avoid contact during pregnancy and while nursing.
		P271	Use only outdoors or in a well-ventilated ar- ea.
		P280	Wear protective gloves/ protective clothing/

811 Universal Pistolen Schaum, Klasse F



Revision Date: 11.11.2024 Date of last issue: -

Version 1.0

Print Date 13.11.2024

eye protection/ face protection.

Response:					
P304 + P340 + P312 IF INHALED: Remove person to fresh					
P342 + P311	air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.				
Storage:					
P405	Store locked up.				
P410 + P412	Protect from sunlight. Do not expose to tem- peratures exceeding 50 °C/ 122 °F.				
Disposal:					
P501	Dispose of contents/container in accordance with local regulation.				

Hazardous components which must be listed on the label:

Diphenvlmethanediisocvanate, isomeres and homologues alkanes, C14-17, chloro

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

Persons already sensitised to diisocyanates may develop allergic reactions when using this product.

Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

2.3 Other hazards

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

811 Universal Pistolen Schaum, Klasse F



Revision Date: 11.11.2024 Date of last issue: - Version 1.0

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit Resp. Sens. 1; H334 >= 0,1 % specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit STOT SE 3; H335 >= 5 %	>= 10 - < 20
alkanes, C14-17, chloro	85535-85-9 287-477-0 01-2119519269-33- XXXX	Lact.H362 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH066	>= 10 - < 20
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

811 Universal Pistolen Schaum, Klasse F



Revision Date: 11.11.2024 Date of last issue: - Version 1.0

Print Date 13.11.2024

Reaction products of phosphoryl trichloride and methyloxirane	1244733-77-4 807-935-0 01-2119486772-26- XXXX	Acute Tox. 4; H302 Carc. 2; H351 Aquatic Chronic 3; H412 Acute toxicity esti- mate Acute oral toxicity: 630 mg/kg	>= 0,5 - < 1	
Substances with a workplace exposure limit :				
isobutane	75-28-5 200-857-2 01-2119485395-27- XXXX	Flam. Gas 1A; H220	>= 5 - < 10	
dimethyl ether	115-10-6 204-065-8 01-2119472128-37- XXXX	Flam. Gas 1A; H220	>= 5 - < 10	
propane	74-98-6 200-827-9 01-2119486944-21- XXXX	Flam. Gas 1A; H220	>= 2,5 - < 5	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attenda	ance.
If inhaled	Move to fresh air.	
In case of skin contact	Take off contaminated clothing and shoes immedia Wash off with soap and plenty of water. If symptoms persist, call a physician.	ately.
In case of eye contact	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious p	erson.

4.2 Most important symptoms and effects, both acute and delayed

811 Universal Pistolen Schaum, Klasse F



Revision Date: 11.11.2024 Date of last issue: -	Version 1.0	Print Date 13.11.202
Symptoms	: Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed informa and symptoms.	ation on health effects
Risks	 irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms of ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause harm to breast-fed children. May cause damage to organs through pre- exposure if inhaled. 	

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.
-----------	--------------------------

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	Water spray jet Dry powder Foam Carbon dioxide (CO2)
Unsuitable extinguishing media	:	
5.2 Special hazards arising from Hazardous combustion prod- ucts		
5.3 Advice for firefighters Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.

for firefighters

811 Universal Pistolen Schaum, Klasse F



Revision Date: 11.11.2024	Version 1.0	Print Date 13.11.2024
Date of last issue: -		

Further information : Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective Personal precautions :	ve equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.			
6.2 Environmental precautions				
•	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.			
6.3 Methods and material for containment and cleaning up				
Methods for cleaning up :	Allow to solidify, use mechanical handling equipment. Ventilate the area.			

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Do not spray on a naked flame or any incandescent material. Take precautionary measures against electrostatic discharges.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety

811 Universal Pistolen Schaum, Klasse F



Revision Date: 11.11.2024	Version 1.0	Print Date 13.11.2024
Date of last issue: -		

practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in original container. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Store in accordance with local regulations.
Storage class (TRGS 510)	:	2B
Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	MAK-TMW	0,005 ppm 0,05 mg/m3	AT OEL
	Further informatem tem and the sk	ation: Danger of sei kin	nsitization of the re	espiratory sys-
		MAK-KZW	0,01 ppm 0,1 mg/m3	AT OEL
isobutane	75-28-5	MAK-TMW	800 ppm 1.900 mg/m3	AT OEL
		MAK-KZW	1.600 ppm 3.800 mg/m3	AT OEL
dimethyl ether	115-10-6	TWA	1.000 ppm 1.920 mg/m3	2000/39/EC
	Further information: Indicative			
		MAK-TMW	1.000 ppm 1.910 mg/m3	AT OEL
		MAK-KZW	2.000 ppm 3.820 mg/m3	AT OEL
propane	74-98-6	MAK-KZW	2.000 ppm 3.600 mg/m3	AT OEL
		MAK-TMW	1.000 ppm 1.800 mg/m3	AT OEL

811 Universal Pistolen Schaum, Klasse F



Revision Date: 11.11.2024 Date of last issue: - Version 1.0

*Values in the table refer to the latest EU-OEL and to the (Grenzwerteverordnung GKV).

Biological occupational exposure limits

Substance name	CAS-No.	Control parame- ters	Sampling time	Basis
Diphenylmethanediisocyanate, iso- meres and homologues	9016-87-9	4,4'- diaminodiphenyl- methane (Isocya- nates): 10 μg/g creatinine (Urine)	At the end of a work week / at the end of a work day / at the end of a shift	VGÜ2014

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment			
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water		
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.		
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.		
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers).		
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor (Type A) and particulate filter A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation, especially in confined areas. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.		
Environmental exposure controls			
General advice :	Do not flush into surface water or sanitary sewer system.		

respective authorities.

If the product contaminates rivers and lakes or drains inform



Revision Date: 11.11.2024 Date of last issue: - Version 1.0

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	: aerosol : various	
Odour	: No data available	
Melting point/ range / Freez- ing point	: No data available	
Boiling point/boiling range	: No data available	

Flammability : E	Extremely flammable aerosol.
------------------	------------------------------

Upper/lower flammability or explosive limits

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture reacts with water
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

811 Universal Pistolen Schaum, Klasse F



Revision Date: 11.11.2024 Date of last issue: -	Version 1.0	Print Date 13.11.2024
Vapour pressure	: 5100 hPa	
Density	: ca. 1,00 g/cm3 (23 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information No data available		

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Conditions to avoid	: Heat, flames and sparks.
---------------------	----------------------------

10.5 Incompatible materials

:	No data available
	:

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Acute oral toxicity : LD50 Oral (Rat): > 10.000 mg/kg

811 Universal Pistolen Schaum, Klasse F



Revision Date: 11.11.2024 Date of last issue: -	Version 1.0	Print Date 13.11.202
Acute inhalation toxicity	: LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture short term inhalation.	is moderately toxic after
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 9.400 mg/kg	I
Reaction products of phose Acute oral toxicity	horyl trichloride and methyloxirane: : LD50 Oral (Rat): > 630 mg/kg	
Skin corrosion/irritation Causes skin irritation.		
Components:		
alkanes, C14-17, chloro: Assessment	: Repeated exposure may cause skin d	Iryness or cracking.
Serious eye damage/eye irr Causes serious eye irritation.	tation	
Respiratory or skin sensitis	ation	
Skin sensitisation May cause an allergic skin re	iction.	
Respiratory sensitisation May cause allergy or asthma	symptoms or breathing difficulties if inhaled	d.
Germ cell mutagenicity Not classified due to lack of c	ata.	
Carcinogenicity Suspected of causing cancer		
Reproductive toxicity		
May cause harm to breast-fe	children.	
STOT - single exposure May cause respiratory irritation	٦.	
STOT - repeated exposure		
May cause damage to organ	through prolonged or repeated exposure i	f inhaled.
Aspiration toxicity Not classified due to lack of c	ata.	



Revision Date: 11.11.2024 Date of last issue: - Version 1.0

11.2 Information on other hazards

Endocrine disrupting properties

- Product:
- Assessment
- : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment		
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h

alkanes, C14-17, chloro:

M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic	:	10

toxicity)

Reaction products of phosphoryl trichloride and methyloxirane:

Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 82 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 13 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Toxicity to daphnia and other : NOEC: 32 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

811 Universal Pistolen Schaum, Klasse F



Revision Date: 11.11.2024 Date of last issue: - Version 1.0

aquatic invertebrates (Chronic toxicity) Specie

Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Assessment	: This substance/mixture contains components considered to
	be either persistent, bioaccumulative and toxic (PBT), or very
	persistent and very bioaccumulative (vPvB)

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		May cause long lasting harmful effects to aquatic life.

Global warming potential

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

Components:

propane:

20-year global warming potential: 0,072 100-year global warming potential: 0,02 500-year global warming potential: 0,006 Atmospheric lifetime: 0,036 yr Radiative efficiency: 0 Wm2ppb Further information: Miscellaneous compounds



Revision Date: 11.11.2024 Date of last issue: - Version 1.0

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Austria - Waste catalogue	:	59803
Contaminated packaging	:	Completely emptied packagings can be given for recycling. Packaging containing remains of dangerous substances, as well as packagings disposed of remains can be unharmed eliminated in accordance with the regulations.
		15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 1950	
IMDG	:	UN 1950	
ΙΑΤΑ	:	UN 1950	
14.2 UN proper shipping name			
ADR	:	AEROSOLS	
IMDG	:	AEROSOLS	
ΙΑΤΑ	:	Aerosols, flammable	
14.3 Transport hazard class(es)			
		Class	Subsidiary risks
ADR	:	2	2.1
IMDG	:	2.1	
ΙΑΤΑ	:	2.1	
Country $\Delta T = 10000031/8/$			

811 Universal Pistolen Schaum, Klasse F



Revision Date: 11.11.2024 Date of last issue: -

Version 1.0

14.4 Packing group

IMDGPacking group:Not assigned by regulationLabels:2.1EmS Code:F-D, S-UIATA (Cargo):203Packing instruction (cargo:203aircraft):Y203Packing group:Not assigned by regulationLabels:Flammable GasIATA (Passenger):203Packing instruction (LQ):Y203Packing instruction (passen- ger aircraft):203Packing instruction (LQ):Y203Packing group:Not assigned by regulationLabels:Flammable GasStruction (LQ):Y203Packing group:Not assigned by regulationLabels:Flammable GasStruction (LQ):Y203Packing group:Not assigned by regulationLabels:Flammable GasStructor:Flammable Gas	ADR Packing group Classification Code Labels Tunnel restriction code	-	Not assigned by regulation 5F 2.1 (D)
Packing instruction (cargo aircraft): 203Packing instruction (LQ): Y203Packing group Labels: Not assigned by regulationEabels: Flammable GasIATA (Passenger) ger aircraft): 203Packing instruction (passen- ger aircraft): Y203Packing group Labels: Y203Packing group Labels: State of the second secon	Packing group Labels	-	2.1
Packing instruction (passen- ger aircraft)203Packing instruction (LQ):Packing group:Labels:Flammable Gas	Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group	•	Y203 Not assigned by regulation
5 Environmental hazards	Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group	: : :	Y203 Not assigned by regulation
	5 Environmental hazards		

14.

ADR Environmentally hazardous	:	no
IMDG Marine pollutant	:	no
IATA (Passenger) Environmentally hazardous	:	no
IATA (Cargo) Environmentally hazardous	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

: Not applicable

Country AT 10000031484

Revision Date: 11.11.2024

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Version 1.0

811 Universal Pistolen Schaum, Klasse F



Date of last issue: -**REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. REACH - Restrictions on the manufacture, placing on Conditions of restriction for the fol-÷ the market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 56: Diphenylmethanediisocyanate, isomeres and homologues Number on list 74: Diphenylmethanediisocyanate, isomeres and homologues Number on list 75: REACH - Candidate List of Substances of Very High alkanes, C14-17, chloro Concern for Authorisation (Article 59). REACH - List of substances subject to authorisation Not applicable (Annex XIV) Regulation (EC) on substances that deplete the ozone Not applicable layer Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable tants (recast) Regulation (EU) No 649/2012 of the European Parlia-÷ Not applicable ment and the Council concerning the export and import of dangerous chemicals Risk classification according Not applicable to VbF

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P3a FLAMMABLE AEROSOLS Water hazard class (Germa- : WGK 2 obviously hazardous to water

ny)

811 Universal Pistolen Schaum, Klasse F



Revision Date: 11.11.2024 Date of last issue: -	Version 1.0	Print Date 13.11.2024
Volatile organic compounds	: Law on the incentive tax for volatile orga	nic compounds

organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: 18,4% w/w
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 18,4% w/w

Other regulations:

Das ArbeitnehmerInnenschutzgesetz §41 und §42 ist zu beachten!

75/324/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H220 H302	:	Extremely flammable gas. Harmful if swallowed.	
H315	:	Causes skin irritation.	
H317	:	May cause an allergic skin reaction.	
H319		Causes serious eye irritation.	
H332	÷	Harmful if inhaled.	
H334	:	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.	
H335	:	May cause respiratory irritation.	
H351	:	Suspected of causing cancer.	
H362	:	May cause harm to breast-fed children.	
H373	:	May cause damage to organs through prolonged or repeated exposure if inhaled.	
H400	:	Very toxic to aquatic life.	
H410	:	Very toxic to aquatic life with long lasting effects.	
H412	:	Harmful to aquatic life with long lasting effects.	
Full text of other abbreviations			
Acute Tox.	:	Acute toxicity	
Aquatic Acute	:	Short-term (acute) aquatic hazard	
Aquatic Chronic	:	Long-term (chronic) aquatic hazard	
Carc.	:	Carcinogenicity	
Eye Irrit.	:	Eye irritation	
Flam. Gas	:	Flammable gases	
Lact.	:	Effects on or via lactation	
Resp. Sens.	:	Respiratory sensitisation	
Skin Irrit.	:	Skin irritation	
Skin Sens.	:	Skin sensitisation	

811 Universal Pistolen Schaum, Klasse F



Revision Date: 11.11.2024 Date of last issue: - Version 1.0

STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first
		list of indicative occupational exposure limit values
AT OEL	:	Austria. Limit values regulation - Annex I: Substance list
VGÜ2014	:	Austria. Regulation on health surveillance in the workplace
		2014
2000/39/EC / TWA	:	Limit Value - eight hours
AT OEL / MAK-TMW	:	Time Weighted Average
AT OEL / MAK-KZW	:	Short Term Exposure Limit
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
		cals (REACH), establishing a European Chemicals Agency
SVHC	:	Substances of Very High Concern
vPvB	÷	Very persistent and very bioaccumulative
-		· / · · · · · · · · / ·······

Further information

Classification of the mixture:		Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
Lact.	H362	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

811 Universal Pistolen Schaum, Klasse F



Revision Date: 11.11.2024Version 1.0Date of last issue: -

Aquatic Chronic 4

H413

Based on product data or assessment

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AT / EN