858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024 Date of last issue: 11.12.2023 Version 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: 858 Universal Recycling Pistolen Schaum

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	: Polyurethane foam
-------------	---------------------

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Ramsauer GmbH & Co KG Alte Bundesstraße 147 5350 Strobl am Wolfgangsee /Österreich
Telephone Telefax Emergency telephone num- ber	:	+43 (0) 6135 8205 0 - -
E-mail address of person responsible for the SDS	:	office@ramsauer.eu

1.4 Emergency telephone number

0043 1 4064343 (Giftinformationszentrale Wien)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) Aerosols, Category 1 H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated. Skin irritation, Category 2 H315: Causes skin irritation. Eye irritation, Category 2 H319: Causes serious eye irritation. Respiratory sensitisation, Category 1 H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled. Skin sensitisation, Category 1 H317: May cause an allergic skin reaction. Carcinogenicity, Category 2 H351: Suspected of causing cancer. Effects on or via lactation H362: May cause harm to breast-fed children. Specific target organ toxicity - single ex-H335: May cause respiratory irritation. posure, Category 3, Respiratory system Country AT 10000031534

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024 Date of last issue: 11.12.2023 Version 5.0

Specific target organ toxicity - repeated	ł
exposure, Category 2	I

H373: May cause damage to organs through prolonged or repeated exposure if inhaled.

Long-term (chronic) aquatic hazard, Category 4

H413: May cause long lasting harmful effects to aquatic life.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word	:	Danger	
Hazard statements	:	H222 H229 H315 H317 H319 H334 H335 H351 H362 H373 H413	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breath- ing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause harm to breast-fed children. May cause damage to organs through prolonged or repeated exposure if inhaled. May cause long lasting harmful effects to aquatic life.
Precautionary statements	:	P101 P102	If medical advice is needed, have product container or label at hand. Keep out of reach of children.
		Prevention	:
		P202	Do not handle until all safety precautions
		P210	have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P211	Do not spray on an open flame or other igni- tion source.
		P251	Do not pierce or burn, even after use.
		P260	Do not breathe dust or mist.
		P263	Avoid contact during pregnancy and while nursing.
		P271	Use only outdoors or in a well-ventilated ar- ea.
		P280	Wear protective gloves/ protective clothing/

tion (EU) 2020/878



Revision Date: 12.11.2024 Date of last issue: 11.12.2023	Version 5.0	Print Date 13.11.202
	eye protection/ face p	protection.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-

Response:	
P304 + P340 + F	2312 IF INHALED: Remove person to fresh
P342 + P311	air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
Storage:	
P405	Store locked up.
P410 + P412	Protect from sunlight. Do not expose to tem- peratures exceeding 50 °C/ 122 °F.
Disposal:	
P501	Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues alkanes, C14-17, chloro

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

Persons already sensitised to diisocyanates may develop allergic reactions when using this product.

Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

2.3 Other hazards

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024 Date of last issue: 11.12.2023 Version 5.0

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 \longrightarrow specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit Resp. Sens. 1; H334 >= 0,1 % \longrightarrow specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit STOT SE 3; H335 >= 5 %	>= 10 - < 20
alkanes, C14-17, chloro	85535-85-9 287-477-0 01-2119519269-33- XXXX	Lact.H362 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH066	>= 5 - < 10
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024 Date of last issue: 11.12.2023 Version 5.0

Print Date 13.11.2024

Reaction products of phosphoryl trichloride and methyloxirane	1244733-77-4 807-935-0 01-2119486772-26- XXXX	Acute Tox. 4; H302 Carc. 2; H351 Aquatic Chronic 3; H412 Acute toxicity esti- mate Acute oral toxicity: 630 mg/kg	>= 2,5 - < 5
Substances with a workplace exposure limit :			
isobutane	75-28-5 200-857-2 01-2119485395-27- XXXX	Flam. Gas 1A; H220	>= 5 - < 10
dimethyl ether	115-10-6 204-065-8 01-2119472128-37- XXXX	Flam. Gas 1A; H220	>= 5 - < 10
propane	74-98-6 200-827-9 01-2119486944-21- XXXX	Flam. Gas 1A; H220	>= 2,5 - < 5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

_

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024 Date of last issue: 11.12.2023	Version 5.0	Print Date 13.11.202
Symptoms	: Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed infor and symptoms.	rmation on health effects
Risks	 irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptom ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause harm to breast-fed children May cause damage to organs through exposure if inhaled. 	n.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.
-----------	--------------------------

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	Water spray jet Dry powder Foam Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from Hazardous combustion prod- ucts		
5.3 Advice for firefighters Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.

858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024	Version 5.0	Print Date 13.11.2024
Date of last issue: 11.12.2023		

Further information : Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

_

• •	ve equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for conta	inment and cleaning up
Methods for cleaning up :	Allow to solidify, use mechanical handling equipment. Ventilate the area.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Do not spray on a naked flame or any incandescent material. Take precautionary measures against electrostatic discharges.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety

858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024	Version 5.0	Print Date 13.11.20
Date of last issue: 11.12.2023		

practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

	ments for storage nd containers	:	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in original container. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Store in accordance with local regulations.
Storage	class (TRGS 510)	:	2B
Further age stal	information on stor- bility	:	No decomposition if stored and applied as directed.
7.3 Specific	end use(s)		
Specific	use(s)	:	Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9	MAK-TMW	0,005 ppm 0,05 mg/m3	AT OEL
	Further informatem tem and the sk	ation: Danger of set kin	nsitization of the re	espiratory sys-
		MAK-KZW	0,01 ppm 0,1 mg/m3	AT OEL
isobutane	75-28-5	MAK-TMW	800 ppm 1.900 mg/m3	AT OEL
		MAK-KZW	1.600 ppm 3.800 mg/m3	AT OEL
dimethyl ether	115-10-6	TWA	1.000 ppm 1.920 mg/m3	2000/39/EC
	Further inform	ation: Indicative		
		MAK-TMW	1.000 ppm 1.910 mg/m3	AT OEL
		MAK-KZW	2.000 ppm 3.820 mg/m3	AT OEL
propane	74-98-6	MAK-KZW	2.000 ppm 3.600 mg/m3	AT OEL
		MAK-TMW	1.000 ppm 1.800 mg/m3	AT OEL

858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024 Date of last issue: 11.12.2023 Version 5.0

*Values in the table refer to the latest EU-OEL and to the (Grenzwerteverordnung GKV).

Biological occupational exposure limits

Substance name	CAS-No.	Control parame- ters	Sampling time	Basis
Diphenylmethanediisocyanate, iso- meres and homologues	9016-87-9	4,4'- diaminodiphenyl- methane (Isocya- nates): 10 μg/g creatinine (Urine)	At the end of a work week / at the end of a work day / at the end of a shift	VGÜ2014

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipmer	nt			
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water		
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.		
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.		
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers).		
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor (Type A) and particulate filter A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation, especially in confined areas. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.		
Environmental exposure controls				
General advice	:	Do not flush into surface water or sanitary sewer system.		

respective authorities.

If the product contaminates rivers and lakes or drains inform

858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024 Date of last issue: 11.12.2023 Version 5.0

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	aerosol various
Odour	:	No data available
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	Extremely flammable aerosol.

Upper/lower flammability or explosive limits

Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture reacts with water
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024 Date of last issue: 11.12.2023	Version 5.0	Print Date 13.11.2024
Vapour pressure	: 5100 hPa	
Density	: ca. 0,95 g/cm3 (23 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information		

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Conditions to avoid	: Heat, flames and sparks.
---------------------	----------------------------

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Acute oral toxicity : LD50 Oral (Rat): > 10.000 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

858 Universal Recycling Pistolen Schaum



evision Date: 12.11.2024 ate of last issue: 11.12.2023	Version 5.0	Print Date 13.11.2024
Acute inhalation toxicity	: LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is mode short term inhalation.	erately toxic after
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 9.400 mg/kg	
Reaction products of phos Acute oral toxicity	horyl trichloride and methyloxirane: : LD50 Oral (Rat): > 630 mg/kg	
Skin corrosion/irritation Causes skin irritation.		
Components:		
alkanes, C14-17, chloro: Assessment	: Repeated exposure may cause skin dryness of	or cracking.
Serious eye damage/eye ir Causes serious eye irritation	tation	
Respiratory or skin sensiti	ation	
Skin sensitisation May cause an allergic skin re	iction.	
Respiratory sensitisation May cause allergy or asthma	symptoms or breathing difficulties if inhaled.	
Germ cell mutagenicity Not classified due to lack of c	ata.	
Carcinogenicity Suspected of causing cancer		
Reproductive toxicity		
May cause harm to breast-fe	children.	
STOT - single exposure May cause respiratory irritation	٦.	
STOT - repeated exposure		
May cause damage to organ	through prolonged or repeated exposure if inhaled	l.
Aspiration toxicity Not classified due to lack of c	ata.	

858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024 Date of last issue: 11.12.2023 Version 5.0

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment		
Chronic aquatic toxicity	:	May cause long lasting harmful effects to aquatic life.

Components:

Diphenylmethanediisocyanate, isomeres and homologues:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h

alkanes, C14-17, chloro:

M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic	:	10

toxicity)

Reaction products of phosphoryl trichloride and methyloxirane:

Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 82 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 13 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Toxicity to daphnia and other : NOEC: 32 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024 Date of last issue: 11.12.2023 Version 5.0

aquatic invertebrates (Chronic toxicity) Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Assessment	: This substance/mixture contains components considered to
	be either persistent, bioaccumulative and toxic (PBT), or very
	persistent and very bioaccumulative (vPvB)

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		May cause long lasting harmful effects to aquatic life.

Global warming potential

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

Components:

propane:

20-year global warming potential: 0,072 100-year global warming potential: 0,02 500-year global warming potential: 0,006 Atmospheric lifetime: 0,036 yr Radiative efficiency: 0 Wm2ppb Further information: Miscellaneous compounds

858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024 Date of last issue: 11.12.2023 Version 5.0

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Austria - Waste catalogue	:	59803
Contaminated packaging	:	Completely emptied packagings can be given for recycling. Packaging containing remains of dangerous substances, as well as packagings disposed of remains can be unharmed eliminated in accordance with the regulations.
		15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 1950		
IMDG	:	UN 1950		
ΙΑΤΑ	:	UN 1950		
14.2 UN proper shipping name				
ADR	:	AEROSOLS		
IMDG	:	AEROSOLS		
ΙΑΤΑ	:	Aerosols, flammable		
14.3 Transport hazard class(es)				
		Class	Subsidiary risks	
ADR	:	2	2.1	
IMDG	:	2.1		
ΙΑΤΑ	:	2.1		
C_{0} ountry AT 100000031531				

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024 Date of last issue: 11.12.2023 Version 5.0

14.4 Packing group

	ADR Packing group Classification Code Labels Tunnel restriction code Remarks	· · ·	Not assigned by regulation 5F 2.1 (D) Transport according to chapter 3.4 (LQ) possible
	IMDG Packing group Labels EmS Code	:	Not assigned by regulation 2.1 F-D, S-U
	IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	-	203 Y203 Not assigned by regulation Flammable Gas
	IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	-	203 Y203 Not assigned by regulation Flammable Gas
14.5	Environmental hazards		
	ADR Environmentally hazardous	:	no

no

IMDG Marina pollutant	
Marine pollutant	÷
IATA (Passenger)	

Environmentally hazardous	:	no
IATA (Cargo)		

Environmentally hazardous : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024 Date of last issue: 11.12.2023	Version	5.0		Print Date 13.11.202
International Chemical Weapons		:	Not applicable	
REACH Information:	All substances contair - registered by our ups - registered by us, and - excluded from the re - exempted from the re	strea d/or gula	m suppliers, and/or tion, and/or	
REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII	gerous substances,	:	Conditions of restriction lowing entries should Number on list 56: Dip thanediisocyanate, iso homologues	be considered: phenylme-
			Number on list 74: Di thanediisocyanate, iso homologues	
			Number on list 75:	
REACH - Candidate List of Substa Concern for Authorisation (Article		:	alkanes, C14-17, chlo	pro
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EC) on substances th layer	at deplete the ozone	:	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals	•	:	Not applicable	
Risk classification according : to VbF	Not applicable			
Seveso III: Directive 2012/18/EU o jor-accident hazards involving dar P3a				the control of ma-
Water hazard class (Germa- :	WGK 2 obviously haza	ardo	us to water	

858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024 Date of last issue: 11.12.2023		Version 5.0	Print Date 13.11.2024
ny)		Classification according to AwSV, Annex 1 (5.2)	
Volatile organic compounds	:	Law on the incentive tax for volatile organic com (VOCV) Volatile organic compounds (VOC) content: 23,7	•
		Directive 2010/75/EU of 24 November 2010 on i emissions (integrated pollution prevention and c Volatile organic compounds (VOC) content: 23,7	ontrol)

Other regulations:

Das ArbeitnehmerInnenschutzgesetz §41 und §42 ist zu beachten!

75/324/EEC

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements	
H220 :	Extremely flammable gas.
H302 :	Harmful if swallowed.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H319 :	Causes serious eye irritation.
H332 :	Harmful if inhaled.
H334 :	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
H335 :	May cause respiratory irritation.
H351 :	Suspected of causing cancer.
H362 :	May cause harm to breast-fed children.
H373 :	May cause damage to organs through prolonged or repeated exposure if inhaled.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H412 :	Harmful to aquatic life with long lasting effects.
Full text of other abbreviations	5
Acute Tox. :	Acute toxicity
Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Carc. :	Carcinogenicity
Eye Irrit. :	Eye irritation
Flam. Gas :	Flammable gases
Lact. :	Effects on or via lactation
Resp. Sens. :	Respiratory sensitisation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024 Date of last issue: 11.12.2023 Version 5.0

Skin Irrit. Skin Sens. STOT RE STOT SE 2000/39/EC AT OEL VGÜ2014	 Specific target organ to Europe. Commission E list of indicative occupa Austria. Limit values re Austria. Regulation on 2014 	oxicity - repeated exposure oxicity - single exposure Directive 2000/39/EC establishing a first ational exposure limit values gulation - Annex I: Substance list health surveillance in the workplace		
2000/39/EC / TWA	: Limit Value - eight hou			
AT OEL / MAK-TMW	: Time Weighted Averag			
AT OEL / MAK-KZW	: Short Term Exposure I			
ADR	Dangerous Goods by F			
CAS	: Chemical Abstracts Se	rvice		
DNEL EC50	: Derived no-effect level : Half maximal effective	concentration		
GHS	: Globally Harmonized S			
IATA	: International Air Trans			
IMDG		Code for Dangerous Goods		
LD50	: Median lethal dosis (th	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of		
LC50	: Median lethal concentr	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation		
MARPOL	: International Convention	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978		
OEL		Occupational Exposure Limit		
PBT		Persistent, bioaccumulative and toxic		
PNEC		Predicted no effect concentration		
REACH	and of the Council of 1 istration, Evaluation, A cals (REACH), establis	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency		
SVHC vPvB		Substances of Very High Concern Very persistent and very bioaccumulative		
	. Very persistent and ve	y bloaccumulative		
Further information Classification of the mixtu				
		Classification procedure:		
Aerosol 1 Skin Irrit. 2	H222, H229 H315	Based on product data or assessment Calculation method		
Eye Irrit. 2 Resp. Sens. 1	H319 H334	Calculation method Calculation method		
Skin Sens. 1	H317	Calculation method		
Carc. 2	H351	Calculation method		

H362

H335

Lact.

STOT SE 3

Calculation method

Calculation method

858 Universal Recycling Pistolen Schaum



Revision Date: 12.11.2024 Date of last issue: 11.12.2023		Version 5.0	Print Date 13.11.2024	
STOT RE 2	H373	Calculation m	ethod	
Aquatic Chronic 4	H413	Based on pro	duct data or assessment	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

AT / EN